

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended): A curable composition comprising a reactive silicon group-containing polyoxyalkylene polymer which is obtained by reacting a polyoxyalkylene polymer (A) having a molecular weight distribution of 1.6 or less, a number average molecular weight of 15,000 to 50,000, and 0.8 or more reactive groups, on average, per molecule thereof with an organic compound (B) having in the molecule thereof a reactive silicon group and a functional group capable of reacting with the reactive groups of the polymer (A) in a proportion of 0.8 to 1.5 molecules of the organic compound (B), on average, per molecule of the component (A);
a filler (C);
a curing catalyst (D); and
a plasticizer in an amount of 0 to less than 5 ~~10~~ parts by weight in relation to 100 parts by weight of the reactive silicon group-containing polyoxyalkylene polymer.
2. (previously presented): The curable composition according to claim 1, in which:
in the liquid components of the curable composition according to claim 1, the ratio y/x of the content y (wt%) of a component having no reactive silicon groups to the content x (wt%) of a component having at least one reactive silicon group is 0.4 or less, with the proviso that $x + y = 100$, wherein:

the liquid component having no reactive silicon groups is a polyoxyalkylene polymer having no reactive silicon groups introduced when the component (A) and the component (B), both according to claim 1, are reacted with each other; and

in the case where the curable composition according to claim 1 comprises a plasticizer, the liquid component having no reactive silicon groups includes the plasticizer component and the polyoxyalkylene polymer having no reactive silicon groups.

3. (canceled).

4. (previously presented): The curable composition according to claim 1, in which the reactive group of the component (A) is an alkenyl group, and the component (B) is an organic compound having a hydrosilyl group as a functional group capable of reacting with the component (A).

5. (previously presented): The curable composition according to claim 1, in which the reactive group of the component (A) is a hydroxyl group, and the component (B) is an organic compound having an isocyanate group as a functional group capable of reacting with the component (A).

6. (previously presented): The curable composition according to claim 1, in which the reactive group of the component (A) is an isocyanate group, and the component (B) is an organic compound having an amino group as a functional group capable of reacting with the component (A).

7. (previously presented): The curable composition according to claim 1, in which the reactive group of the component (A) is an alkenyl group, and the component (B) is an organic compound having a mercapto group as a functional group capable of reacting with the component (A).

8. (previously presented): The curable composition according to claim 2, in which the reactive group of the component (A) is an alkenyl group, and the component (B) is an organic compound having a hydrosilyl group as a functional group capable of reacting with the component (A).

9. (previously presented): The curable composition according to claim 2, in which the reactive group of the component (A) is a hydroxyl group, and the component (B) is an organic compound having an isocyanate group as a functional group capable of reacting with the component (A).

10. (previously presented): The curable composition according to claim 2, in which the reactive group of the component (A) is an isocyanate group, and the component (B) is an organic compound having an amino group as a functional group capable of reacting with the component (A).

11. (previously presented): The curable composition according to claim 2, in which the reactive group of the component (A) is an alkenyl group, and the component (B) is an organic compound having a mercapto group as a functional group capable of reacting with the component (A).

12. (canceled).

13. (canceled).

14. (canceled).

15. (canceled).

16. (previously presented): The curable composition according to claim 1, in which the plasticizer is at least one selected from the group consisting of phthalates; aliphatic dibasic acid esters; epoxidized plasticizers; polyethers; and vinyl polymers.

17. (new): The curable composition according to claim 1, wherein no plasticizer is present.

18. (new) The curable composition according to claim 1, wherein the content of the plasticizer is 2 parts by weight or less in relation to 100 parts by weight of the reactive silicon group containing polyoxyalkylene polymer.